Appendix C – Noise Analysis Technical Report

Preliminary Noise Analysis Technical Report Marina Way Extension

Prince William County Project No. 23C17011; UPC 120778

HMMH Report No. 311090.001 December 2023

Prepared for:

Johnson, Mirmiran & Thompson, Inc. 9201 Arboretum Parkway, Ste. 310 Richmond, Virginia 23236

Prepared by:



HMMH

700 District Avenue, Suite 800 Burlington, MA 01803

Contents

1	Introduc	tion	1
1.1	Backgrour	nd and Purpose	1
1.2	Project De	escription	1
1.3	Study Are	a Description and Land Use	1
2	Noise Al	patement Criteria	4
2.1	Regulation	ns and Guidelines	4
2.2		tement Criteria	
2.3		ng of Existing Noise Levels	
2.4		Existing Noise Levels	
2.5	Undevelo	ped Lands and Permitted Developments	6
3	Traffic No	oise Prediction	8
3.1	Noise Pre	diction Model	8
3.2		del Validation	
3.3		ta for Noise Prediction	
3.4	Predicted	Noise Levels	10
4	Noise Im	npact Assessment	12
5	Noise Ab	patement Measures	14
6	Informat	ion for Local Government Officials	15
6.1	Noise-Cor	npatible Land-Use Planning	15
6.2	VDOT's No	oise Abatement Program	15
7	Reference	Ces	16
Арр	endix A	Predicted Traffic Noise Levels	A-1
Арр	endix B	Traffic Data Used in Noise Analysis	B-1
Арр	endix C	Noise Measurement Details	C-1
App	endix D	List of Preparers	D-1
Fig	jures		
		w of Project Study Area	
_		n Map for Common Noise Environments, Receptors, and Barriers	
_		r of Receptors for Which AM or PM Peak is Worst Noise Hour for 2023 Existing Conditions r of Receptors for Which AM or PM Peak is Worst Noise Hour for 2050 Build Conditions	
ı ıgul (c +. mumber	of Neceptors for Whitch Aivi of Fivi Feak is Worst Noise Hour for 2000 build Colluitions	D-Z



i

Tables

Table 1. FHWA Noise Abatement Criteria (NAC)	
Table 2. Monitored Noise Levels	
Table 3. Computed vs. Measured Sound Levels at the Measurement Site	
Table 4. Ranges of Predicted Exterior and Interior Noise Levels for the Worst Hour	
Table 5. Predicted Traffic Noise Levels	



1 Introduction

1.1 Background and Purpose

The Federal Highway Administration (FHWA) regulations for mitigation of highway traffic noise in the planning and design of federally aided highway projects are contained in Title 23 of the United States Code of Federal Regulations Part 772 (23 CFR 772). These regulations state that a "Type I" traffic noise impact analysis is required when there is the addition of through-traffic lanes or ramps in an interchange. The methods and procedures used in this preliminary noise impact evaluation are consistent with the latest noise assessment policies issued by FHWA and the Virginia Department of Transportation (VDOT).

This Preliminary Noise Analysis Technical Memorandum Report describes the details of a noise impact assessment and preliminary noise abatement evaluation performed for the Marina Way Extension Project in Prince William County, Virginia. The noise analysis was conducted in accordance with FHWA and VDOT noise assessment regulations and guidelines, both of which were revised and updated significantly in 2011. The FHWA regulations are set forth in 23 CFR Part 772. VDOT's revised policy was updated most recently on February 15, 2022.

The study area analyzes all noise-sensitive land use within 500 feet of the proposed edge of pavement of the roadway improvements associated with the Marina Way Extension Project as seen in **Figure 1**.

This report presents a summary of the roadway improvements under study, description of noise terminology, the applicable standards and criteria, an evaluation of the existing noise conditions, a description of the computations of existing and future noise levels, a prediction of future noise impact, an evaluation of potential noise abatement measures, construction noise considerations, and information for local government officials. **Appendix A** presents predicted noise levels, **Appendix B** tabulates the traffic data used in the noise modeling, **Appendix C** presents details from the noise measurement program, and **Appendix D** provides the list of preparers.

1.2 Project Description

The Marina Way Extension Project includes a four-lane divided roadway extension of Marina Way from Annapolis Way to Gordon Boulevard (Route 123). The extension would function as a main street for the proposed North Woodbridge Town Center currently under development and would connect the existing Marina Way to Horner Road.

1.3 Study Area Description and Land Use

Noise sensitive land uses in the project study area include multi-family residences as well as one place of worship (Royalhouse Chapel International). Following VDOT and FHWA policies and procedures, the receptors used in the model to represent exterior activity areas at noise-sensitive land uses were grouped into Common Noise Environments (CNEs). Receptors in a CNE are exposed to similar noise sources and levels and are generally located between secondary noise sources, such as cross-streets. The modeled receptors for the Project were grouped into the CNEs listed below. **Figure 1** is an overview




graphic of the study area that shows the locations of the CNEs and the noise measurement site. The following paragraphs describe the land use located within each CNE.

CNE A is located in the north corner of the Marina Way and Annapolis Way intersection. It is comprised entirely of residences and associated areas of exterior use within the Viridium Apartments Woodbridge community. The apartment community consists of a five-story building with exterior ground level outdoor use and balconies. Additionally, a rooftop common area and outdoor pool area are also part of the complex.

CNE B is located north of Annapolis Way and west of Marina Way. It is comprised entirely of residences and associated areas of exterior use within the Rivergate Apartments community. The apartment community consists of a five-story building with exterior ground level outdoor use and balconies. Additionally, a common outdoor area with a pool is also part of the complex.

CNE C is located west of the Marina Way and Annapolis Way intersection. This CNE includes the Royalhouse Chapel International place of worship.







CNE Boundary Measurement Site




500' Noise Study Area



Marina Way Extension Woodbridge, Prince William County, VA









2 Noise Abatement Criteria

2.1 Regulations and Guidelines

The potential noise impact of the Marina Way Extension Project was assessed in accordance with FHWA and VDOT noise assessment regulations and guidelines. The FHWA regulations are set forth in 23 CFR Part 772. On July 13, 2010, FHWA published revised noise regulations which became effective on July 13, 2011. FHWA has also published a guidance document to support the new regulations. VDOT prepared revisions to its noise policy in accordance with FHWA's requirements and revised policy. VDOT's revised policy has received approval from FHWA and was last updated on February 15, 2022.

2.2 Noise Abatement Criteria

To assess the degree of impact of highway traffic and noise on human activity, the FHWA established Noise Abatement Criteria (NAC) for different categories of land use activity (see **Table 1**).

Activity Category	Leq(h)¹	Description of Activity Category
А	57 (Exterior)	Lands on which serenity and quiet are of extraordinary significance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose
B ²	67 (Exterior)	Residential
C ²	67 (Exterior)	Active sport areas, amphitheaters, auditoriums, campgrounds, cemeteries, day care centers, hospitals, libraries, medical facilities, parks, picnic areas, places of worship, playgrounds, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, recreation areas, Section 4(f) sites, schools, television studios, trails, and trail crossings
D	52 (Interior)	Auditoriums, day care centers, hospitals, libraries, medical facilities, places of worship, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, schools, and television studios
E ²	72 (Exterior)	Hotels, motels, offices, restaurants/bars, and other developed lands, properties or activities not included in A-D or F
F	1	Agriculture, airports, bus yards, emergency services, industrial, logging, maintenance facilities, manufacturing, mining, rail yards, retail facilities, shipyards, utilities (water resources, water treatment, electrical), and warehousing
G	-	Undeveloped lands that are not permitted (without building permits)

Table 1. FHWA Noise Abatement Criteria (NAC)

Notes:

- 1. Hourly equivalent A-weighted sound level (dBA)
- 2. Includes undeveloped lands permitted for this activity category

Source: 23 CFR Part 772.

The NAC are given in terms of the hourly, A-weighted, equivalent sound level in decibels (dBA). The A-weighted sound level is commonly used when measuring environmental noise to provide a single number descriptor that correlates with human subjective response to noise because the sensitivity of human hearing varies with frequency. The A-weighted sound level is widely accepted by acousticians as a proper unit for describing environmental noise. Most environmental noise (and the A-weighted sound



level) fluctuates from moment to moment, and it is common practice to characterize the fluctuating level by a single number called the equivalent sound level (Leq). The L_{eq} is the value or level of a steady, non-fluctuating sound that represents the same sound energy as the actual time-varying sound evaluated over the same time period. For traffic noise assessment, Leq is typically evaluated over a one-hour period and may be denoted as Leq(h).

In this study, residential areas (Activity Category B) and institutional interior spaces (Activity Category D) were evaluated for noise impact. For Category B, noise impact would occur when predicted exterior noise levels, due to the project, approach or exceed 67 dBA in terms of Leq(h) during the loudest hour of the day. For Category D, noise impact would occur where predicted interior sound levels due to the project approach or exceed 52 dBA Leq(h). VDOT defines the word "approach" in "approach or exceed" as within 1 decibel. For example, the threshold for noise impact for Activity Category B and C is where exterior noise levels are within 1 decibel of 67 dBA Leq(h), or 66 dBA. Noise impact also would occur wherever project noise causes a substantial increase over existing noise levels. VDOT defines a substantial increase as an increase of 10 decibels or more above existing noise levels.

When the predicted design-year Build case noise levels approach or exceed the NAC during the loudest hour of the day or cause a substantial increase in existing noise, consideration of traffic noise reduction measures is necessary. If it is found that such mitigation measures will cause adverse social, economic or environmental effects that outweigh the benefits received, they may be dismissed from consideration. For this study, noise levels throughout the study area were determined for Existing (2023) conditions and the design-year (2050) Build alternative.

All noise-sensitive land uses potentially affected by the project are near roads for which traffic data was developed as part of the environmental study. Therefore, all noise levels were computed from the appropriate loudest-hour traffic data. The prediction methods and predicted noise levels appear in **Section 3**.

This section of the report describes the methodology and establishes existing noise levels and the investigation of undeveloped lands and permitted developments.

2.3 Monitoring of Existing Noise Levels

Noise monitoring was conducted at one short-term site on November 28, 2023. The noise measurement was located adjacent to residential properties with the highest noise exposures nearest the proposed project. Traffic classification counts on the roadways nearest the measurement site were conducted simultaneously during the measurement as well as before and after the measurement. The short-term measurement characterized existing noise levels in the study area but was not necessarily conducted during the loudest hour of the day. It included contributions from sources other than traffic, such as train passbys and intermittent noise from the adjacent concrete plant. The short-term noise monitoring location is shown in **Figure 2** in **Section 4** and numbered with the prefix "M." It is also shown on the monitoring site log field data sheet in **Appendix C.**

Short-term noise monitoring is not a process to determine design-year noise impacts or barrier locations. Short-term noise monitoring provides a level of consistency between what is present in real-world situations and how that is represented in the computer noise model. Short-term monitoring does not need to occur within every CNE to validate the computer noise model.

Noise monitoring was conducted using a Brüel & Kjær Model 2245 sound level meter with current calibration traceable to the U.S. National Institute of Standards and Technology (NIST) and conforming



to American National Standards Institute (ANSI) Standard S1.4 and International Electrotechnical Commission (IEC) Standard 61672 for Type 1 (precision) spectrum analyzers. Additional field calibrations were carried out at the beginning and end of each measurement using a NIST-certified Brüel & Kjær Model 4231 acoustic calibrator. The instruments were programmed to log noise levels continuously during each measurement period and recorded broadband A-weighted Leq sound levels in 1-second intervals. The short-term data collection procedure involved a measurement over a period of 30 minutes. Continuous logging of events was conducted during the monitoring, so that intervals with events not representative of the ambient noise environment or not traffic-related could be excluded later. For the 30-minute period, a "Total Leq" (includes non-contaminated sound level contributions from every 1-second interval) and a "Traffic-only Leq" (excludes those intervals that contained noise events unrelated to roadway noise) were determined. By comparing the two totals, the significance of non-traffic events (such as aircraft operations) to the overall noise level can be determined for the measurement period.

Table 2 presents the results of the noise monitoring program. The measured "Total" Leq sound level at site M1 was 59 dBA. **Table 2** shows the site number, address/location, date, start time, measurement duration and monitored noise level at the monitoring site. Note that the "Total" Leq value at site M1 was higher than the "Traffic-Only" Leq value indicating that there were non-traffic related noises occurring during the measurement duration that needed to be excluded during the post processing task.

	Table 21 Monitored Nobe 2010											
Site No.	Address/ Location	Date	Time Start (hh:mm)	Duration (minutes)	Measured Total L _{eq} (dBA)	Measured Traffic-only L _{eq} (dBA)						
M1	North corner of Marina Way and Annapolis Way	11/28/2023	15:06	30	59.0	58.2						

Table 2. Monitored Noise Levels

Source: HMMH, 2023.

The noise measurement field notes, traffic counts, site photographs and calibration output are provided in **Appendix C**. The sound level meter calibration certificate is also included in **Appendix C**.

2.4 Predicted Existing Noise Levels

For calculation of loudest-hour noise levels throughout the study area for the existing (2023) conditions, receiver locations representing noise-sensitive sites adjacent to the project, along with the appropriate traffic data were added as input in the FHWA-approved noise prediction model to provide predicted existing noise levels. These predicted estimates of existing noise levels are then used as the baseline against which probable future noise levels are compared and potential noise impacts assessed. Additional information on the computation methods and computed levels used in this study are provided in **Section 3.**

2.5 Undeveloped Lands and Permitted Developments

In accordance with the VDOT Traffic Noise Policy, an undeveloped lot is considered to be planned, designed, and programmed if a building permit has been issued by the local authorities prior to the Date of Public Knowledge for the relevant project. VDOT considers the "Date of Public Knowledge" as the date that the final National Environmental Policy Act (NEPA) approval is made. VDOT or Prince William



County has no obligation to provide noise mitigation for any undeveloped land that is permitted or constructed after this date.

As mentioned within, the extension of Marina Way will provide a main street for the future development of the North Woodbridge Town Center. The town center is planned to be comprised of mixed-use development and includes future residential use. The location of the town center would be located on the east and west side of the Marina Way extension and within 500 feet of the proposed roadway improvements, therefore requiring further investigation into the status of the development. It was determined that no building permits have been issued for the North Woodbridge Town Center. Therefore, this future development was not incorporated into the noise analysis. No other undeveloped lots were identified within 500 feet of the Marina Way Extension project.



3 Traffic Noise Prediction

This section discusses the noise prediction model, the model validation process, traffic data used as input to the noise prediction model, and then presents a summary of the predicted noise levels.

3.1 Noise Prediction Model

HMMH used the FHWA's Traffic Noise Model (TNM Version 2.5) to compute existing and future Build case loudest-hour noise levels for all receptors located within the Project Noise Study Area. TNM incorporates state-of-the-art sound emissions and sound propagation algorithms, based on well-established theory or on accepted international standards. The acoustical algorithms contained within the FHWA TNM have been validated with respect to carefully conducted noise measurement programs and show excellent agreement in most cases for sites with and without noise barriers.

The traffic data and engineering plans, along with topographic contours and other supplemental information, were used to create a three-dimensional model of the existing and future design roadway configurations and the surrounding terrain within the FHWA TNM. The noise modeling accounted for such factors as propagation over different types of ground (acoustically soft and hard ground), elevated roadway sections, significant shielding effects from local terrain and structures, distance from the road, traffic speed, and hourly traffic volumes including percentage of medium and heavy trucks. To fully characterize existing and future noise levels at all noise-sensitive land uses in the study area, over 260 noise prediction receivers (also called "receptors" and "sites") were added to the modeling.

Information on noise-sensitive residential land use in the study area (Activity Category B) includes the number of dwelling units identified from existing mapping and publicly available parcel data from Prince William County, Virginia.

Traffic-noise levels were predicted for the 2023 Existing conditions and 2050 Build alternative. No-Build noise levels are not typically required for a categorical exclusion (CE) or environmental assessment (EA) unless the project is related to the interstate system or there is a 4(f) resource within the corridor. The Marina Way Extension project is not located along an interstate system and there is no 4(f) resources within the corridor. Therefore, no traffic-noise prediction was completed for the 2050 No-Build condition.

3.2 Noise Model Validation

According to FHWA and VDOT policies, the accuracy of the noise prediction model must be verified on a project-by-project basis. The noise model validation process compares existing noise levels monitored in the field with predicted noise levels from the FHWA TNM using the traffic conditions during the monitoring period as input to the model. The purpose of the noise model validation is to evaluate the success of the model in representing the important acoustical characteristics of the study area. This is determined by examining the overall trend of the differences between measured and predicted noise levels at each measurement site. Individual site-to-site differences may vary significantly, depending on factors that may affect either the measured noise level or the predicted noise level at a given site. Examples of factors that affect noise levels are provided below:



- Factors affecting measured noise levels include atmospheric conditions (upwind, neutral or downwind conditions), shielding by structures that are difficult to model, and/or the presence of "loud" vehicle pass-bys during the measurement.
- Factors affecting predicted noise levels include the level of detail in modeling terrain features
 and locating receptors, as well as the degree to which ground zones, tree zones, and sparse
 rows of buildings are incorporated into the model.
- FHWA and VDOT consider the noise model to be validated when measured noise levels are within +/- 3 dBA of predicted noise levels for existing conditions.

FHWA discourages the "calibration" of a noise model through the use of adjustment factors within the noise model to match measured and predicted levels. FHWA recognizes that many factors are present both in the measurement of noise and in the development of a model that can lead to variability. Differences between measured and predicted levels that are outside the accepted accuracy of the model are likely due to unusual circumstances during the measurements, or to insufficient detail or inaccurate assumptions in the model. Only after a thorough examination of the measurement conditions and the modeling assumptions has been completed, should the highway noise analyst consider the use of adjustment factors in the model. FHWA recognizes that in some cases, it may not be possible to identify a specific reason for not validating a specific measurement site. Any such cases are to be documented in the noise study report.

Table 3 presents a comparison of the measured noise level and the corresponding TNM-computed noise level. The comparison for site M1 shows a difference of less than 3 dBA, and so the model has been appropriately validated for this project.

Difference Measured Traffic-**Computed Leg** Site No. Address/Location **Land Use** only Leq (dBA) (dBA) (dBA) North corner of Marina Way M1 Residential 58.2 55.3 -2.9 and Annapolis Way

Table 3. Computed vs. Measured Sound Levels at the Measurement Site

Source: HMMH, 2023.

3.3 Traffic Data for Noise Prediction

The traffic data used in the noise analysis must produce sound levels representative of the loudest hour of the day in the future design year, per FHWA and VDOT policy. Traffic data provided by the project team and found within the *Marina Way and Annapolis Way Alternative Intersection Report* was used for input into the traffic noise model. The report includes traffic volumes along Marina Way and Annapolis Way for 2023 Existing Conditions and the Design Year of 2050. During the noise model validation exercise, it was determined that traffic from Richmond Highway (Route 1) contributes to the overall noise environment. Therefore, traffic counts conducted during the noise measurement for Richmond Highway (Route 1) were used to represent this additional traffic noise at receptors.

Traffic data were supplied as peak hourly volumes for one AM hour (7:15 AM - 8:15 AM) and one PM hour (6:15 PM - 7:15 PM). Truck percentages for Marina Way and Annapolis Way were provided by project traffic engineers. Based on observations from the noise measurements, it was assumed that all truck traffic would be related to medium trucks. Truck percentages along Richmond Highway (Route 1) were estimated using traffic counts collected during the noise measurement program. For existing



conditions, average speeds collected during the noise measurement program were used in the noise model. Per Section 6.4.3 of the VDOT Noise Policy, the operating speed must be used if it has been determined to be consistently higher than the posted speed limit, and vice versa. However, since the future operating speeds were not readily available for Marina Way, the proposed speed limit of 30 miles-per-hour was used. For speeds along Annapolis Way and Richmond Highway (Route 1), it was assumed that future speeds would remain the same as existing.

The TNM model for existing conditions and the future design year Build Alternative were run for the entire set of receptors for all peak hour volumes. The loudest hour was determined to be PM peak traffic hour (6:15 PM – 7:15 PM) for most of the receptors located within the project study area and was therefore chosen for the noise analysis. **Appendix B** provides the loudest-hour traffic data for the roadways used in the TNM for this project.

3.4 Predicted Noise Levels

The study area includes exterior residential (FHWA Activity Category B) and interior institutional and religious (Category D) land uses.

Table 4 summarizes the range of predicted noise levels by CNE. The table includes a description of each CNE and its land use, the FHWA Activity Category, and the loudest-hour traffic noise levels, which are presented in terms of the A-weighted equivalent sound level, or Leq, in dBA. Loudest-hour noise levels were computed for 2023 Existing conditions, as well as the design-year (2050) Build alternative. Exterior sound levels are shown for Activity Category B and predicted interior sound levels are shown for Category D (interior institutional) land use. The noise-sensitive place of worship identified in the study area (Royalhouse Chapel International) appear to have air conditioning and masonry construction. Therefore, per FHWA guidance, an outside-to-inside noise reduction value of 25 decibels is used to determine the interior sound levels from the exterior sound levels predicted by TNM. **Appendix A** provides a table that lists the computed sound levels at all the modeled receptors included in the noise assessment.

Upon completion of the noise measurement program and noise modeling, it was determined that other sources of noise, other than roadway noise, contribute to the overall background noise level in the study area. To prevent under-predicting existing and future noise levels, an ambient noise level was incorporated into the traffic-noise modeling results. Based on noise measurement data and proximity of receptors to project roadways, it was determined that a background noise level of 50 decibels was an appropriate value to represent the ambient noise environment.

Figure 2, presented in **Section 4**, provides a location map for the CNEs and noise sensitive receptors. Each receptor is shown in **Figure 2** with a color-coded dot that indicates the status of each receptor according to its 2050 Build noise level.



Table 4. Ranges of Predicted Exterior and Interior Noise Levels for the Worst Hour

CNE	Land Use – Description	Activity	Range of Predicted Exterior & Interior Noise Levels for the Worst Hour (dBA)		
CIVE	Land Ose – Description	Categories	2023 Existing	2050 Build	
А	Residential – West of Marina Way, between Annapolis Way and Rivergate Place. Comprised entirely of residences within the Viridium Woodbridge Apartments community.	В	50 - 58	50 - 61	
В	Residential – West of Marina Way, north of Rivergate Place. Comprised entirely of residences within the Rivergate Apartments community.	В	50 - 54	50 - 56	
С	Institutional – West of Marina Way, south of Annapolis Way. Includes the Royalhouse Chapel International.	D	26 - 26	31 - 31	

Source: HMMH, 2023.



4 Noise Impact Assessment

The potential noise impact of the Marina Way Extension Project was evaluated according to FHWA and VDOT noise assessment guidelines, described in detail in **Section 2**. In summary, noise impact would occur wherever project noise levels are expected to approach within one decibel or exceed 67 dBA Leq at noise-sensitive land uses in Activity Categories B (exterior residential) or approach within one decibel or exceed 52 dBA Leq at noise-sensitive land uses in Activity Category D (interior institutional) during the loudest hour of the day. Noise impact also would occur wherever project noise levels cause a substantial increase over existing noise levels—an increase of 10 dB or more is considered substantial by VDOT.

In the 2023 Existing condition, noise-sensitive receptors are not predicted to be exposed to traffic-noise levels that approach or exceed the applicable NAC impact threshold for all locations. Likewise, in the 2050 Build alternative, traffic-noise levels at noise-sensitive receptors are predicted to be below the applicable NAC threshold for all locations. Additionally, increases in traffic-noise levels are predicted to range between one and seven decibels. Therefore, no impacts due to substantial increases are predicted. Since no noise impact is predicted to occur as a result of the project, no further analysis is required and noise mitigation would not be warranted.

Figure 2 shows the locations of individual receptors analyzed in the 2050 Build alternative. Receptors representing residences within the apartment communities have a designation of A, B, C, D, or E at the end of the receptor name, which represents Floor 1, 2, 3, 4, and 5, respectively.








Figure 2 Location Map for Common Noise Environments and Receptors

Marina Way Extension

Prince William County Project No. 23C17011; UPC 120778

Receiver Site and Number

Impacted

Not Impacted

Top Floor Noise Prediction Result

Bottom Floor Noise Prediction Result


Note: Grouped Receiver Labels are in order of Leader Occurrence.

▲ M# Measurement Site

500 ft Noise Study Area

CNE Boundary

Property Parcel





0 55 110

Feet 220



5 Noise Abatement Measures

FHWA and VDOT policies require that noise abatement be considered for all receptors that are predicted to be impacted by traffic noise from the proposed project. FHWA has identified certain noise abatement measures that may be incorporated in projects to reduce traffic noise impact. In general, mitigation measures can include alternative measures (traffic management, the alteration of horizontal and vertical alignment, and low-noise pavement), in addition to the construction of noise barriers.

As discussed in **Section 4**, no impacts are predicted at any receptors within the noise study area. Therefore, no further analysis is required since noise abatement is not warranted. Construction Noise Consideration

Construction noise provisions are contained in Section 107.16(b)3 Noise of the 2020 VDOT Road and Bridge Specifications. The specifications have been reproduced below:

- The Contractor's operations shall be performed so that exterior noise levels measured during a noise-sensitive activity shall not exceed 80 decibels. Such noise level measurements shall be taken at a point on the perimeter of the construction limit that is closest to the adjoining property on which a noise-sensitive activity is occurring. A noise-sensitive activity is any activity for which lowered noise levels are essential if the activity is to serve its intended purpose and not present an unreasonable public nuisance. Such activities include, but are not limited to, those associated with residences, hospitals, nursing homes, churches, schools, libraries, parks, and recreational areas.
- The Department may monitor construction-related noise. If construction noise levels exceed 80 decibels during noise sensitive activities, the Contractor shall take corrective action before proceeding with operations. The Contractor shall be responsible for costs associated with the abatement of construction noise and the delay of operations attributable to noncompliance with these requirements.
- The Department may prohibit or restrict to certain portions of the project any work that produces objectionable noise between 10 P.M. and 6 A.M. If other hours are established by local ordinance, the local ordinance shall govern.
- Equipment shall in no way be altered so as to result in noise levels that are greater than those produced by the original equipment.
- When feasible, the Contractor shall establish haul routes that direct vehicles away from developed areas and ensure that noise from hauling operations is kept to a minimum.
- These requirements shall not be applicable if the noise produced by sources other than the Contractor's operation at the point of reception is greater than the noise from the Contractor's operation at the same point.



6 Information for Local Government Officials

FHWA and VDOT policies require that VDOT provides certain information to local officials within whose jurisdiction the highway project is located, to minimize future traffic noise impacts of Type I projects on currently undeveloped lands. (Type I projects involve highway improvements with noise analysis.) This information must include information on noise-compatible land-use planning, noise impact zones in undeveloped land in the highway project corridor and federal participation in Type II projects (noise abatement only). This section of the report provides that information, as well as information about VDOT's noise abatement program.

6.1 Noise-Compatible Land-Use Planning

Section 9.0 of VDOT's noise policy outlines VDOT's approach to communication with local officials and provides information and resources on highway noise and noise-compatible land-use planning. VDOT's intention is to assist local officials in planning the uses of undeveloped land adjacent to highways to minimize the potential impacts of highway traffic noise.

Entering the Quiet Zone is a brochure that provides general information and examples to elected officials, planners, developers, and the general public about the problem of traffic noise and effective responses to it. A link to this brochure on FHWA's website is provided:

http://www.fhwa.dot.gov/environment/noise/noise_compatible_planning/federal_approach/land_use/gz00.cfm

A wide variety of administrative strategies may be used to minimize or eliminate potential highway noise impacts, thereby preventing the need or desire for costly noise abatement structures such as noise barriers in future years. There are five broad categories of such strategies:

Zoning,

Other legal restrictions (subdivision control, building codes, health codes), Municipal ownership or control of the land, Financial incentives for compatible development, and Educational and advisory services.

The Audible Landscape: A Manual for Highway and Land Use is a very well-written and comprehensive guide addressing these noise-compatible land use planning strategies, with significant detailed information. This document is available through FHWA's Website, at http://www.fhwa.dot.gov/environment/noise/noise_compatible_planning/federal_approach/audible_landscape/al00.cfm

6.2 VDOT's Noise Abatement Program

Information on VDOT's noise program is provided in "Highway Traffic Noise Guidance Manual (Version 9)," updated February 15, 2022. This document is available from VDOT's Noise Abatement Section, Virginia Department of Transportation, 1401 E. Broad St., Richmond, VA 23219.



7 References

- Federal Highway Administration, US Department of Transportation. July 13, 2010. 23 CFR Part 772, as amended 75 FR 39820, Procedures for Abatement of Highway Traffic Noise and Construction Noise. Washington, DC:

 http://www.fhwa.dot.gov/environment/noise/regulations and guidance/
- Federal Highway Administration, US Department of Transportation. June 2010, revised January 2011.

 Highway Traffic Noise: Analysis and Abatement Guidance. Washington, DC:

 http://www.fhwa.dot.gov/environment/noise/regulations and guidance/analysis and abatem

 ent guidance/revguidance.pdf
- Federal Highway Administration, US Department of Transportation. January 1998. FHWA Traffic Noise Model, Version 1.0 User's Guide. FHWA-PD-96-009. Cambridge, MA: U.S. Department of Transportation, Research and Special Programs Administration, John A. Volpe National Transportation Systems Center, Acoustics Facility.

 http://www.fhwa.dot.gov/environment/noise/traffic_noise_model/old_versions/tnm_version_10/users_guide/index.cfm
- Federal Highway Administration, US Department of Transportation. February 1998. FHWA Traffic Noise Model, Version 1.0: Technical Manual, Report No. FHWA-PD-96-010 and DOT-VNTSC-FHWA-98-2. Cambridge, MA: U.S. Department of Transportation, Research and Special Programs Administration, John A. Volpe National Transportation Systems Center, Acoustics Facility.

 http://www.fhwa.dot.gov/environment/noise/traffic noise_model/old_versions/tnm_version_10/tech_manual/index.cfm
- Johnson, Mirmiran & Thompson. November 22, 2023. *Marina Way and Annapolis Way Alternative Intersection Report DRAFT.*
- US Department of Transportation, John A. Volpe National Transportation Systems Center. July 2004.

 **TNM Version 2.5 Addendum to Validation of FHWA's TNM* (TNM) Phase 1 report. Cambridge,

 MA. http://www.fhwa.dot.gov/environment/noise/traffic_noise_model/model_validation/
- Virginia Department of Transportation. February 15, 2022. Highway Traffic Noise Guidance Manual (Version 9). Richmond, VA. http://www.virginiadot.org/projects/pr-noise-walls-about.asp



Appendix A Predicted Traffic Noise Levels

This appendix provides the predicted noise levels at all the receiver (receptor) locations shown in the study graphics for the 2023 Existing and design-year 2050 Build alternative. The receptor sites are organized by CNE. Also provided are the name and location of each receiver site, the number of dwelling units or recreational units assigned, a description of the land use, the applicable Noise Abatement Criteria, and the predicted loudest-hour Leq sound levels.



Table 5. Predicted Traffic Noise Levels

CNE-				Land	NAC		·Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
A-001A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	53	58	No Impact
A-001B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	54	60	No Impact
A-001C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	55	60	No Impact
A-001D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	55	60	No Impact
A-001E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	55	60	No Impact
A-002A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	53	59	No Impact
A-002B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	54	60	No Impact
A-002C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	54	60	No Impact
A-002D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	55	60	No Impact
A-002E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	55	60	No Impact
A-003A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	52	58	No Impact
A-003B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	60	No Impact
A-003C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	60	No Impact
A-003D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	54	60	No Impact
A-003E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	54	60	No Impact
A-004A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	52	57	No Impact
A-004B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	52	59	No Impact
A-004C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	59	No Impact
A-004D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	59	No Impact
A-004E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	59	No Impact
A-005	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	55	No Impact
A-006A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
A-006B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	52	No Impact
A-006C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	52	No Impact
A-006D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	53	No Impact
A-007A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
A-007B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	52	No Impact
A-007C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	53	No Impact



CNE-	Address		0.44	Land	NAC		·Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
A-007D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	54	No Impact
A-008A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-008B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-008C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-008D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-008E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-009	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-010A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-010B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-010C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-010D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-010E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-011A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-011B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-011C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-011D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-011E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-012A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-012B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-012C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-012D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-012E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-013A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-013B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-013C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-013D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-013E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-014A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-014B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact



CNE-				Land	NAC		-Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
A-014C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-014D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-014E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-015A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-015B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-015C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-015D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
A-015E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
A-016A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
A-016B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
A-016C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
A-016D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	52	No Impact
A-016E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	52	No Impact
A-017A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	56	60	No Impact
A-017B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	56	60	No Impact
A-017C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	57	60	No Impact
A-017D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	57	61	No Impact
A-017E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	58	61	No Impact
A-018A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact
A-018B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	51	52	No Impact
A-018C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	51	52	No Impact
A-018D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	51	52	No Impact
A-018E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	52	52	No Impact
A-019A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	56	60	No Impact
A-019B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	57	61	No Impact
A-019C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	57	61	No Impact
A-019D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	58	61	No Impact
A-019E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	58	61	No Impact
A-020A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	52	53	No Impact



CNE-	Address	1114	Cat.*	Land	NAC		-Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
A-020B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	54	No Impact
A-020C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	54	No Impact
A-020D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
A-020E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	54	55	No Impact
A-021A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	56	60	No Impact
A-021B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	57	60	No Impact
A-021C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	57	61	No Impact
A-021D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	58	61	No Impact
A-021E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	58	61	No Impact
A-022A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-022B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-022C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-022D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
A-022E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
A-023A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-023B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-023C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-023D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-023E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
A-024A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-024B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-024C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-024D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-024E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-025A	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-025B	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-025C	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-025D	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
A-025E	1000 Annapolis Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact



CNE-	Address		0.44	Land	NAC		-Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
A-026A	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-026B	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-026C	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-026D	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-026E	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
A-027	1000 Annapolis Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-001A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	52	No Impact
B-001B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	53	No Impact
B-001C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	53	No Impact
B-001D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	54	No Impact
B-001E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	54	No Impact
B-002A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
B-002B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	51	52	No Impact
B-002C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	51	52	No Impact
B-002D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	52	No Impact
B-002E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact
B-003A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-003B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact
B-003C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	52	No Impact
B-003D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	52	No Impact
B-003E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	52	No Impact
B-004A	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	50	50	No Impact
B-004B	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	51	51	No Impact
B-004C	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	51	51	No Impact
B-004D	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	51	51	No Impact
B-004E	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	51	52	No Impact
B-005A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-005B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-005C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact



CNE-	Address		0.14	Land	NAC	Loudest- (dB	·Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
B-005D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact
B-005E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact
B-006A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-006B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-006C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-006D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-006E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-007A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-007B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-007C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-007D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
B-007E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
B-008A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-008B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-008C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-008D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-008E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-009A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-009B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-009C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-009D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-009E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-010A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-010B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-010C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-010D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-010E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
B-011A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-011B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact



CNE-	Address	11.74	0.44	Land	NAC	Loudest-	·Hour L _{eq} A)**	2050
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
B-011C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-011D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-011E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact
B-012A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-012B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-012C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-012D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-012E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-013A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-013B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-013C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-013D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-013E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
B-014A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-014B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-014C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-014D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-014E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	51	51	No Impact
B-015A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-015B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-015C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-015D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-015E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	51	No Impact
B-016A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-016B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-016C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-016D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	51	No Impact
B-016E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	51	51	No Impact
B-017A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact



CNE-	Address		2.1	* Land Use	NAC Imp. Crit.	Loudest-Hour L _{eq} (dBA)**		2050
Site No.	Address	Units	Cat.*			2023 Existing	2050 Build	Impact Type
B-017B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-017C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-017D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-017E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	50	50	No Impact
B-018A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-018B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-018C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-018D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-018E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	50	50	No Impact
B-019A	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	50	50	No Impact
B-019B	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	50	50	No Impact
B-019C	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	50	50	No Impact
B-019D	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	50	50	No Impact
B-019E	13175 Marina Way, Woodbridge, VA 22191	3	В	Res.	67	50	50	No Impact
B-020A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	53	No Impact
B-020B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-020C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-020D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-020E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-021A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	53	No Impact
B-021B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-021C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-021D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-021E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-022A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-022B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-022C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	55	No Impact
B-022D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	55	No Impact
B-022E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact



CNE-	Address	0.11	Land	NAC	Loudest-Hour L _{eq} (dBA)**		2050	
Site No.	Address	Units	Cat.*	Use	Imp. Crit.	2023 Existing	2050 Build	Impact Type
B-023A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-023B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	55	No Impact
B-023C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-023D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-023E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-024A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-024B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	56	No Impact
B-024C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	56	No Impact
B-024D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	56	No Impact
B-024E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	56	No Impact
B-025A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	56	No Impact
B-025B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	56	No Impact
B-025C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	56	No Impact
B-025D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	56	No Impact
B-025E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	54	56	No Impact
B-026A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-026B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	52	54	No Impact
B-026C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-026D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-026E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	54	55	No Impact
B-027A	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-027B	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-027C	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	53	55	No Impact
B-027D	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	54	55	No Impact
B-027E	13175 Marina Way, Woodbridge, VA 22191	2	В	Res.	67	54	55	No Impact
B-028	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	54	No Impact
B-029A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact
B-029B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact
B-029C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact



CNE-	Address Units	Haita	s Cat.*	Land Use	NAC Imp. Crit.	Loudest-Hour L _{eq} (dBA)**		2050
Site No.		Units				2023 Existing	2050 Build	Impact Type
B-029D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	54	No Impact
B-029E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	54	No Impact
B-030A	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	52	No Impact
B-030B	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact
B-030C	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact
B-030D	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	52	53	No Impact
B-030E	13175 Marina Way, Woodbridge, VA 22191	1	В	Res.	67	53	54	No Impact
C-001	991 Annapolis Way, Woodbridge, VA 22191	1	D	Int.	52	26	31	No Impact
* "Cat." = FHWA Activity Category.								

HMMH, 2023.



Appendix B Traffic Data Used in Noise Analysis

This appendix provides the loudest-hour roadway traffic volumes and speeds used in the noise modeling for the 2023 Existing conditions, as well as the 2050 Build alternative.

Figure 3 shows the number of receptors for which the AM Peak Hour or the PM Peak Hour represents the worst noise hour for existing conditions by CNE. **Figure 4** shows the equivalent information for the Build Alternative.







Figure 3. Number of Receptors for Which AM or PM Peak is Worst Noise Hour for 2023 Existing Conditions

Figure 4. Number of Receptors for Which AM or PM Peak is Worst Noise Hour for 2050 Build Conditions





Marina Way Extension

Noise Measurement Traffic Data

Sample Counts

Sample #1

Sample #2

Time 14:00-14:15 Duration (min) 15 Time 15:46-16:02

Duration (min) 15

Route 1 NB

Noute 1 MD				
Veh.Type	# of Veh.			
Α	190			
MT	2			
HT	10			
Speed	35			

Route	1	NB
-------	---	----

Veh.Type	# of Veh.
Α	191
MT	4
HT	3
Speed	34

Route 1 NB (Sample #2)

TNM Input

Veh.Type	# of Veh.	Speed				
Α	764	35				
MT	16	35				
HT	12	35				

Route 1 SB

Veh.Type	# of Veh.
Α	295
MT	5
HT	14
Speed	36

Route 1 SB

Veh.Type	# of Veh.
Α	600
MT	5
HT	6
Speed	34

Route 1 SB (Sample #2)

Veh.Type	# of Veh.	Speed
Α	2400	36
MT	20	36
HT	24	36

Time 15:06-15:36

Duration (min) 30

Marina Way NB/SB

Veh.Type	# of Veh.			
Α	54			
MT	4			
HT	0			
Speed	15			

Marina Way NB/SB

Veh.Type	# of Veh.	Speed		
Α	108	15		
MT	8	15		
HT	0	0		

Annapolis EB (West of Marina)

Veh.Type	# of Veh.	
Α	21	
MT	4	
HT	0	
Speed	23	

Annapolis EB (East of Marina)

Veh.Type	# of Veh.	
Α	40	
MT	8	
HT	0	
Speed	23	

Annapolis EB (West of Marina)

······································			
Veh.Type	# of Veh.	Speed	
Α	42	23	
MT	8	23	
HT	0	0	

Annapolis EB (East of Marina)

Veh.Type	# of Veh.	Speed
Α	80	23
MT	16	23
HT	0	0

Annapolis WB (West of Marina)

Veh.Type # of Veh.	
Α	23
MT	2
HT	0
Speed	35

Annapolis WB (East of Marina)

Veh.Type	# of Veh.	
Α	44	
MT	2	
HT	0	
Speed	35	

Annapolis WB (West of Marina)

Veh.Type	# of Veh.	Speed	
Α	46	35	
MT	4	35	
HT	0	0	

Annapolis WB (East of Marina)

Veh.Type	# of Veh.	Speed
Α	88	35
MT	4	35
HT	0	0

Note:

¹⁾ Speeds use in validation exercsise are based on average speeds collected during field measurements.

Marina Way Extension

Existing 2023

Peak AM (7:15 AM - 8:15 AM)

Marina Way NB/SB

Total Vehicles

Annapolis WB (East of Marina)

Total Vehicles

Veh.Type

MT

НТ

Route 1 NB

Total Vehicles

Veh.Type

Α

МТ

НТ

. ota. vemeics	102		
Veh.Type	# of Veh.	Speed	Truck %
Α	149	25	
MT	3	25	2%
HT	0	25	

Annapolis EB (East of Marina) Annapolis EB (West of Marina)

Truck %

2%

Truck %

2%

2%

Total Vehicles

Veh.Type	# of Veh.	Speed	Truck %
A	31	30	
MT	1	30	2%
HT	0	0	

Speed

30

30

30

Speed

35

35

35

of Veh.

56

0

of Veh.

764

16

12

Total Vehicles

Veh.Type

МТ

нт

Total verifices	12		
Veh.Type	# of Veh.	Speed	Truck %
Α	12	30	
MT	0	0	2%
HT	0	0	

Annapolis WB (West of Marina)

Total Venicles	12		
Veh.Type	# of Veh.	Speed	Truck %
Α	12	30	
MT	0	0	2%
HT	0	0	

141

Speed

30

30

0

36

36

36

Truck %

2%

Truck %

1%

1%

of Veh.

138

0

Route 1 SB **Total Vehicles**

нт

Veh.Type # of Veh. Speed Α 2400 МТ 20

24

Peak PM (6:15 PM - 7:15 PM)

Marina Way NB/SB

Total Vehicles 189

. otal velilles	103		
Veh.Type	# of Veh.	Speed	Truck %
Α	185	25	
MT	4	25	2%
HT	0	25	

Annapolis EB (West of Marina)

Total Vehicles 19

July Verneies	13		
Veh.Type	# of Veh.	Speed	Truck %
Α	6	30	
MT	0	0	2%
HT	0	0	

Annapolis EB (East of Marina)

Total Vehicles

tal Vehicles	112		
Veh.Type	# of Veh.	Speed	Truck %
Α	55	30	
MT	1	30	2%
HT	0	0	

Annapolis WB (East of Marina)

Total venicles	143		
Veh.Type	# of Veh.	Speed	Truck %
Α	48	30	
MT	1	30	2%
HT	0	0	

Annapolis WB (West of Marina)

Total Vohicles

Total vehicles			
Veh.Type	# of Veh.	Speed	Truck %
Α	13	30	
MT	0	30	2%
HT	0	0	

Route 1 NB **Total Vehicles**

Veh.Type	# of Veh.	Speed	Truck %
Α	764	35	
MT	16	35	2%
HT	12	35	2%
HT	12	35	2%

Route 1 SB Total Vehicles

Veh.Type	# of Veh.	Speed	Truck %
A	2400	36	
MT	20	36	1%
HT	24	36	1%

Notes:

1) Per the draft "Marina Way and Annapolis Way Alternative Intersection Report" (November 2023), since Marina Way does not extend west beyond the Annapolis way intersection under existing conditions, the existing conditions operational analysis was not needed for this study as the proposed conditions alter the 991 Annapolos Way entrance to a four-lane divided throughoutway. Therefore, no traffic data beyond the existing Marina Way and Annapolis Way intersection is available.

2) Volumes for Route 1 reflect traffic counts conducted during the noise measurement program. Although this roadway is not included in the project's roadway network, trafficnoise from Route 1 contributes to the overall noise environment, as determined during the validation exercise.

Marina Way Extension

Build 2050

Peak AM (7:15 AM - 8:15 AM)

	Total Vehicles					
	Veh.Type # of Veh.		Speed	Truck %		
	Α	505	30			
MT		10	30	2%		

Marina Way NB (South of intersection)						
Total Vehicles	525					
Veh.Type	# of Veh.	Speed	Truck %			
Α	260	30				
MT	5	30	2%			
HT	0	0				

147

30 30

	Marina Way SB (South of intersection)					
Total Vehicles 420						
	Veh.Type	# of Veh.	Speed	Truck %		
	A	208	30			
	MT	4	30	2%		
	HT	0	0			

Peak PM (6:15 PM - 7:15 PM)

farina Way NB/SB (North of intersection)							
otal Vehicles	530						
Veh.Type	# of Veh.	Speed	Truck %				
Α	519	30					
MT	11	30	2%				
HT	0	0					

Speed Truck %

Marina Way NB	(South of in	tersection)		Marina W
Total Vehicles	390			Total Veh
Veh.Type	# of Veh.	Speed	Truck %	Veh.Ty
Α	193	30		A
MT	4	30	2%	MT
HT	0	0		HT

Marina Way SB (South of intersection)			
Total Vehicles	814		
Veh.Type	# of Veh.	Speed	Truck %
Α	403	30	
MT	8	30	2%
HT	0	0	

Total Vehicles 230

Veh.Type	# of Veh.	Speed	Truck %
Α	76	30	
MT	2	30	2%
HT	0	0	

anolis WR (West of Marina)

Annapolis EB (East of Marina)

Annapolis WB (East of Marina)			
Total Vehicles	310		
Veh.Type	# of Veh.	Speed	Truck %
Α	103	30	
MT	2	30	2%
HT	0	0	

 Veh.Type
 # of Veh.
 Speed
 Truck %

 A
 382
 35

Annapolis WB (West of Marina)			
Total Vehicles	370		
Veh.Type	# of Veh.	Speed	Truck %
Α	183	30	
MT	4	30	2%
HT	0	0	

	rotar verne
Truck %	Veh.Type
	A
2%	MT
	HT
	Route 1 SB

Total Vehicles			
Veh.Type	# of Veh.	Speed	Truck %
Α	600	36	
MT	5	36	1%
HT	6	36	1%

Annapolis WB (East of Marina)

Annapolis EB (West of Marina)

Total Vehicles 405 Veh.Type # of Veh.

Total Vehicles	710		
Veh.Type	# of Veh.	Speed	Truck %
Α	235	30	
MT	5	30	2%
HT	0	0	

Annapolis	wв	(West	of	Marina

otal Vehicles	395		
Veh.Type	# of Veh.	Speed	Truck %
Α	196	30	
MT	4	30	2%
HT	0	0	

Annapolis EB (East of Marina)

Total Vehicles 370

Veh.Type # of Veh. Speed Truck %

A 123 30

A 129 30 30

Total Vehicles	395

Veh.Type	# of Veh.	Speed	Truck %
Α	196	30	
MT	4	30	2%
HT	0	0	

Route 1 NB

Total Vehicles			
Veh.Type	# of Veh.	Speed	Truck %
Α	382	35	
MT	8	35	2%
HT	6	35	2%

otal Vehicles			
Veh.Type	# of Veh.	Speed	Truck %
A	600	36	
MT	5	36	1%
HT	6	36	1%

Route 1 NB

Total Vehicles

1) Per the draft "Marina Way and Annapolis Way Alternative Intersection Report" (November 2023), since Marina Way does not extend west beyond the Annapolis way Intersection under existing conditions, the existing conditions operational analysis was not needed for this study as the proposed conditions after the 991 Annapolios Way entrance to a four-lane divided throughoutway. Therefore, traffic data along Gordon Boulevard was not utilized in the Build condition.

2) Volumes for Route 1 reflect traffic counts conducted during the noise measurement program. Although this roadway is not included in the project's roadway network, traffic-noise from Route 1 contributes to the overall noise environment, as determined during the validation exercise.

Appendix C Noise Measurement Details

This appendix includes data acquired during the noise measurement program including the site sketch, photographs, field noise and traffic count data sheets, and the calibration certificate.





Site M1. Facing East on Annapolis Way.







Quality Representative

The Hottinger Bruel & Kjaer Calibration Laboratory 3079 Premiere Parkway Suite 120 Duluth, GA 30097 Telephone: 770/209-6907 Fax: 770/447-4033 Web site address: http://www.hbkworld.com

Calibration Technician

CERTIFICATE OF CALIBRATION

Certificate No: CAS-616753-T0X2P4-801

Page 1 of 10

CALIBRATION OF:		X		
Sound Level Meter:	Brüel & Kjær	2245	Serial No: 2245-10	00484
Microphone:	Brüel & Kjær	4966	Serial No: 323685	6
Supplied Calibrator:	Brüel & Kjær	4231	Serial No: 302516	7
Software version:	1.1.2.386			
CLIENT:	Harris Miller Miller 700 District Avenu Burlington, MA 01	e Suite 800	E 11	
CALIBRATION CONE	DITIONS:	TAN		All a property was a
Preconditioning:	4 hours at 23 ± 3 °	°C		
Environment conditions	See actual values in	n Environmental C	ondition sections	
asterisk (*) are not covered be except in full, without the writested. This instrument has be Technology, National Measur PROCEDURE: Hottinger Brüel & Kjær Mode	y the scope of the curre itten approval of the Ho been calibrated using M rement Institutes or der	ent A2LA accreditation ottinger Brüel & Kjæl easurement Standar vived from natural ph	on This Certificate and a Calibration Laboratory ds with values traceable sysical constants.	the attached page(s). Items marked with one attached data pages shall not be reproduced y-Duluth, GA. Results relate only to the item le to the National Institute of Standards and on 8.6 - DB: 8.60 Test Collection 2245-E, 496
(BZ-7301).	r part	E Traffic - M	E P' ROUE - CANA	
RESULTS: As Received Condition _X_ Received in good cond Damaged - See attache	ed report Outsi Inope	ed Data acceptance criter de acceptance crit rative not taken		ceptance criteria est - See attached details
Date of Ca	libration: Jan. 09. 202	23	ogen to	Certificate issued: Jan. 10. 2023
G	rant Kennedy			John Avitabile



The Hottinger Brüel & Kjær Inc. Calibration Laboratory
3079 Premiere Parkway Suite 120
Duluth, GA 30097
Telephone: 770-209-6907
Fax: 770-447-4033
Web site address: http://www.bbkworld.com



John Avitabile

Quality Representative

Calibration Certificate # 1568.01

Web site address: http://www.hbkworld.com

Meshaun Hobbs

Calibration Technician

CALIBRAI	TON OF:		21.00000					
Microphone:	Brüel & K	jær	Type 4966		Serial No.	3236856		
						1	715 7753	
CUSTOME		Jamia Millan Millan G	- Hanson Inc					
		Harris Miller Miller & 700 District Ave, Ste						
		Burlington, MA 0180			n and		J 99 187	
CALIBRAT	ION CON	DITIONS:	E 1777 - 38		(G 15)	in the	Mari	
Environment con	ditions:	Air temperature	23.1	°C		700		
Applied polarizat	ion voltage:	Air pressure: Relative Humidi 0 Vdc	98.027 ity: 30	kPa %RH	J F 89		20 Gr	
** - *								
within specified on using a test system eceived" and "firecection. This	criteria with no m which confor nal" data, see th is Certificate an	instrument as listed und by the referenced Proc reduction by the uncert ms to the requirements e attached page(s). Iten d attached data pages s	edure. Statements of ainty of the measure of ISO/IEC 17025, and marked with one a hall not be reproduced.	compliance, ments. The ca ANSI/NCSL asterisk (*) ar ed, except in	where applica alibration of the Z540-1, and go e not covered full, without we	ble, are base ne listed trans uidelines of i by the scope written approve	d on calibration ducer was account of the current Aval of the Hottin	results mplishe or "as A2LA ger Brü
within specified on using a test system received and "find accreditation. Thing Kjær Calibration Standards with va	criteria with no m which confor nal" data, see th is Certificate an Laboratory-Du alues traceable	by the referenced Proc reduction by the uncert ms to the requirements e attached page(s). Iten	edure. Statements of ainty of the measure of ISO/IEC 17025, and marked with one a hall not be reproduced only to the items test	compliance, ments. The can ANSI/NCSL asterisk (*) ared, except in sted. The tran	where application of the Alibration of the Alibr	ble, are base ne listed trans uidelines of by the scope written approven calibrated	d on calibration ducer was account of the current Aval of the Hottin using Measurer	results mplishe or "as A2LA ger Brü nent
within specified of a sing a test system eceived" and "finct and "finct and "finct and a system of the control	criteria with no m which conformal" data, see the is Certificate and Laboratory-Dualues traceable is s.	by the referenced Proc reduction by the uncert ms to the requirements e attached page(s). Iten d attached data pages s luth, GA. Results relate	edure. Statements of ainty of the measure of ISO/IEC 17025, and marked with one a hall not be reproduced only to the items test of Standards and Testance of the Hottinger	compliance, ments. The can ANSI/NCSL asterisk (*) ared, except in a ed, except in a sted. The tran echnology, Na	where applica alibration of the Z540-1, and genot covered full, without we seld some self to the ational Measurer Inc. Microp	ble, are base ne listed trans quidelines of by the scope written approven en calibrated rement Institu	d on calibration ducer was account of the current Aval of the Hottin using Measurer utes or derived the tion System	results mplishe or "as A2LA ger Brü nent
within specified of using a test system eceived" and "finance ditation. This constant of the constant of the measurement as K 9721 with a series of the measurement o	criteria with no m which conformal" data, see the is Certificate and Laboratory-Dualues traceable is s.	by the referenced Proc reduction by the uncert ms to the requirements e attached page(s). Iten d attached data pages s luth, GA. Results relate to the National Institute	edure. Statements of ainty of the measure of ISO/IEC 17025, and marked with one a hall not be reproduced only to the items test of Standards and Testance of the Hottinger	compliance, ments. The can ANSI/NCSL asterisk (*) ared, except in a ed, except in a sted. The tran echnology, Na	where applica alibration of the Z540-1, and genot covered full, without we seld some self to the ational Measurer Inc. Microp	ble, are base ne listed trans quidelines of by the scope written approven en calibrated rement Institu	d on calibration ducer was account of the current Aval of the Hottin using Measurer utes or derived the tion System	results mplishe or "as A2LA ger Brü nent
within specified of using a test system eceived" and "financereditation. This correction is and ards with value of the measurement as K 9721 with a second constant.	criteria with nom which conformal" data, see the is Certificate and Laboratory-Dualues traceable is. RE: ts have been perpendication software.	by the referenced Proc reduction by the uncert ms to the requirements e attached page(s). Iten d attached data pages s luth, GA. Results relate to the National Institute	edure. Statements of ainty of the measure of ISO/IEC 17025, as marked with one a hall not be reproduce only to the items test of Standards and Test of Sta	compliance, ments. The ca ANSI/NCSL asterisk (*) ar ed, except in sted. The tran echnology, Na Bruel & Kja Dusing calibr	where applica alibration of the Z540-1, and genot covered full, without we seld some self to the ational Measurer Inc. Microp	ble, are base the listed trans suidelines of by the scope written approven calibrated rement Institution. hone Calibra re: 4966 S25	d on calibration aducer was account of the current Aval of the Hottin using Measurer utes or derived to the System 61-FR01	results mplishe or "as A2LA ger Brü nent
within specified of using a test system eceived" and "financereditation. This constant of the	criteria with nom which conformal" data, see the is Certificate and Laboratory-Dualues traceable is s. RE: ts have been perpendication software.	by the referenced Proc reduction by the uncert ms to the requirements e attached page(s). Iten d attached data pages s luth, GA. Results relate to the National Institute rformed with the assista ware WT9649 and WT9	edure. Statements of ainty of the measure of ISO/IEC 17025, ans marked with one a shall not be reproduced only to the items test of Standards and Test of	compliance, ments. The ca ANSI/NCSL asterisk (*) ar ed, except in sted. The tran echnology, Na Bruel & Kja Dusing calibr	where applica alibration of the Z540-1, and genot covered full, without we seducer has be ational Measurer Inc. Micropation procedure	ble, are base the listed trans suidelines of by the scope written approven calibrated rement Institution. hone Calibra re: 4966 S25	d on calibration aducer was account of the current Aval of the Hottin using Measurer utes or derived fation System 11-FR01	results mplishe or "as A2LA ger Brü nent
within specified of using a test system received" and "financereditation. This increditation. This is a calibration of the constants of the measurement of the measur	criteria with no m which conformal" data, see the is Certificate and Laboratory-Dualues traceable is s. RE: ts have been perpendication software certificate and a criteria and and ancertain with the model and and and ancertain with the conformal and and ancertain with the conformal and and and and ancertain with the conformal and ancertain with the conformal ancertain with the confor	by the referenced Proc reduction by the uncert ms to the requirements a attached page(s). Item d attached data pages s luth, GA. Results relate to the National Institute rformed with the assista ware WT9649 and WT9	edure. Statements of ainty of the measure of ISO/IEC 17025, and marked with one as that not be reproduced only to the items test of Standards and Test of	compliance, ments. The can ANSI/NCSL asterisk (*) ared, except in sted. The transchnology, Nathan Brüel & Kja Dusing calibration. As Received Final Data iplied by a cordance with E	where applica alibration of th Z540-1, and g e not covered full, without w sducer has be ational Measu er Inc. Microp ation procedu Data: Outside overage factor EA-4/02 from	ble, are base to listed transquidelines of by the scope written approven calibrated rement Institution. The control of the con	d on calibration aducer was account of the current Aval of the Hottin using Measurer utes or derived full of the Hottin using Measurer the Hottin System 1-FR01 Criteria Criteria Criteria g a level of continuing from states	results mplishe or "as A2LA A2LA ger Brü nent from na
within specified of using a test system received" and "financereditation. This increditation. This is a constant of the measurement of the measure	criteria with no m which conformal" data, see the is Certificate and Laboratory-Dualues traceable is s. RE: ts have been perpendication software in the conformal in the confo	by the referenced Proc reduction by the uncert ms to the requirements attached page(s). Item d attached data pages sluth, GA. Results relate to the National Institute arformed with the assistation ware WT9649 and WT9 Within Acceptance Critical Within Acceptance Critical with the standinty evaluation has been	edure. Statements of ainty of the measure of ISO/IEC 17025, and marked with one as that not be reproduced only to the items test of Standards and Test of	compliance, ments. The can ANSI/NCSL asterisk (*) ared, except in sted. The transchnology, Nata Brüel & Kja Dusing calibration Data iplied by a cordance with Equation from	where applica alibration of th Z540-1, and g e not covered full, without w sducer has be ational Measu er Inc. Microp ation procedu Data: Outside overage factor EA-4/02 from	ble, are base as listed transquidelines of by the scope written approven calibrated rement Institution. Acceptance a Acceptance a Acceptance a Acceptance a Acceptance a Lead of the scope and the scope and the scope and the scope are a listed at the scope and the scope and the scope are a listed at the scope and the scope are a listed at the scope and the scope are	d on calibration aducer was account of the current Aval of the Hottin using Measurer utes or derived full of the Hottin using Measurer the Hottin System 1-FR01 Criteria Criteria Criteria g a level of continuing from states	results mplishe or "as A2LA A2LA ger Brü nent from na



The Hottinger Bruel & Kjær Inc. Calibration Laboratory
3079 Premiere Parkway Suite 120
Duluth, GA 30097
Telephone: 770-209-6907
Fax: 770-447-4033

Web site address: http://www.hbkworld.com



Calibration Certificate # 1568.01

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CALIBRATIC	N	No.: CAS-	616753-	T0X2P4-401	Page 1 of 2
CALIBRATION OF	r:	421	161		196.	Ča.
Calibrator:	Brüel & Kjær		Type 4231 IEC Class:	1 =	Serial No.:	3025167
CUSTOMER:						_123
	Harris Miller Mi 700 District Ave Burlington, MA	, Ste 800	son, Inc			
CALIBRATION CO	ONDITIONS:		_0	=	6.4	2.001
Environment conditions:	Air temper Air pressur Relative H	re:	23.4 97.81 31.8	°C kPa %RH		
meets acceptance criteria as falling within specified criter accomplished using a test sy: For "as received" and "final" accreditation. This Certificat	prescribed by the refer ia with no reduction be stem which conforms data, see the attached e and attached data pa	renced Proc by the uncer to the requi I page(s). Ite ages shall no	edure. Statementainty of the medical rements of ISO ems marked with the reproduced	nts of comp easurements /IEC 17025 h one asteri l, except in	liance, where app The calibration ANSI/NCSL Z5 sk (*) are not cov full, without writt	40-1, and guidelines of ISO 10 ered by the scope of the curren en approval of the Hottinger E
meets acceptance criteria as par falling within specified criter accomplished using a test system as received and "final" accreditation. This Certificat Kjær Inc. Calibration Labora	prescribed by the refermant with no reduction better which conforms data, see the attached and attached data pattory-Duluth, GA. Result to the National Inserted.	renced Proc by the uncer to the requi I page(s). Ite ages shall no sults relate o stitute of Sta	edure. Statementainty of the moreonetric of ISO ems marked with the reproduced only to the items and ards and Technologies.	nts of compeasurements /IEC 17025 h one asteri d, except in s tested. The	liance, where app The calibration of ANSI/NCSL Z5 sk (*) are not cover full, without writte transducer has be ational Measurem	licable, are based on calibration of the listed transducer was 40-1, and guidelines of ISO 10 ared by the scope of the current approval of the Hottinger Electrical Beautiers of the transition of the Hottinger Electrical Beautiers of the Hottinger Electrical Beautiers of derived from the state of the Hottinger Electrical Beautiers of derived from the state of the stat
meets acceptance criteria as falling within specified criter accomplished using a test system accreditation. This Certificat Kjær Inc. Calibration Labora Standards with values traceal physical constants. The acouprocepts according to the measurements have bapplication	prescribed by the referia with no reduction better which conforms data, see the attached and attached data pattory-Duluth, GA. Resulte to the National Institute calibrator has bee	renced Proceed by the uncerto the required page(s). Ite ages shall no sults relate of Staten calibrated at the assistant	redure. Statementainty of the morements of ISO ems marked with the reproducer only to the items and ards and Technical in accordance	nts of compeasurements /IEC 17025 th one asteri d, except in s tested. The chnology, N with the rece ger Brüel	liance, where app. The calibration of ANSI/NCSL Z5. k (*) are not coverfull, without writte transducer has be ational Measurem uirements as specification.	licable, are based on calibration of the listed transducer was 40-1, and guidelines of ISO 10 ared by the scope of the current approval of the Hottinger Electrical Beautiers of the transition of the Hottinger Electrical Beautiers of the Hottinger Electrical Beautiers of derived from the state of the Hottinger Electrical Beautiers of derived from the state of the stat
meets acceptance criteria as falling within specified criter accomplished using a test system accreditation. This Certificat Kjær Inc. Calibration Labora Standards with values traceal physical constants. The acou PROCEDURE: The measurements have bapplication Software version 2.3.4 Ty	prescribed by the referia with no reduction better which conforms data, see the attached and attached data pattory-Duluth, GA. Resulte to the National Institute calibrator has bee	renced Proceed by the uncerto the required page(s). Ite ages shall no sults relate of Staten calibrated at the assistant	redure. Statementainty of the morements of ISO ems marked with the reproducer only to the items and ards and Technical in accordance	nts of compeasurements /IEC 17025 th one asteri d, except in s tested. The chnology, N with the rece ger Brüel	liance, where app. The calibration of ANSI/NCSL Z5. k (*) are not coverfull, without writte transducer has be ational Measurem uirements as specification.	licable, are based on calibration of the listed transducer was 40-1, and guidelines of ISO 10 ered by the scope of the current en approval of the Hottinger Expension of the Hottinger
meets acceptance criteria as falling within specified criter accomplished using a test system accreditation. This Certificat Kjær Inc. Calibration Labora Standards with values traceal physical constants. The acou PROCEDURE: The measurements have bapplication Software version 2.3.4 Ty	prescribed by the referia with no reduction better which conforms data, see the attached and attached data pattory-Duluth, GA. Resulte to the National Institute calibrator has bee een performed with pe 7794 using calib	renced Proces to the required page(s). Ite ages shall no sults relate of Starn calibrated at the assistant pration process.	redure. Statementainty of the marements of ISO ems marked with the reproduced only to the items and ards and Teclarin accordance of Hottin cedure 4231 Co	nts of compeasurements /IEC 17025 h one asteri d, except in s tested. The chnology, N with the reco	liance, where app. The calibration of ANSI/NCSL Z5 sk (*) are not cover full, without writte transducer has be ational Measurem puirements as specific Kjær Inc. acoustic Kjær Inc. acou	licable, are based on calibration of the listed transducer was 40-1, and guidelines of ISO 10 ered by the scope of the current en approval of the Hottinger Expension of the Hottinger
meets acceptance criteria as falling within specified criter accomplished using a test sy: For "as received" and "final" accreditation. This Certificat Kjær Inc. Calibration Labora Standards with values traceal physical constants. The acoupper constants are measurements have be application Software version 2.3.4 Ty RESULTS:	prescribed by the referia with no reduction better which conforms data, see the attached and attached data pattory-Duluth, GA. Resulte to the National Institute calibrator has bee een performed with pe 7794 using calib	renced Proceed by the uncerto the required page(s). Ite ages shall no sults relate of State and calibrated or the assistant at the assistant praction proceed certain calibrated or the assistant at the assistant praction proceed certain proceed certain at the assistant praction proceed certain proceed	redure. Statementainty of the marements of ISO ems marked with the reproduced only to the items and ards and Teclarin accordance ance of Hottin cedure4231 Celare and Teclarin accordance and Tecla	nts of compeasurements /IEC 17025 h one asteri d, except in s tested. The chnology, N with the reco	liance, where app. The calibration of ANSI/NCSL Z5. k (*) are not coverfull, without writte transducer has be ational Measurem quirements as specific K. Kjær Inc. acoustic V. Data: Outside Actional Actional Measurem quirements as specific K. Kjær Inc. acoustic V. Data: Outside Actional Measurem quirements as specific K. Kjær Inc. acoustic V. Data: Outside Actional Measurements as specific K. Kjær Inc. acoustic V. Data: Outside Actional Measurements as specific K. Kjær Inc. acoustic V. Data: Outside Actional Measurements as specific V. Data: Outside V. Data: Out	licable, are based on calibration of the listed transducer was 40-1, and guidelines of ISO 10 ared by the scope of the current approval of the Hottinger Electrical Electrical Measurement Institutes or derived from a lifted in IEC60942.
meets acceptance criteria as falling within specified criter accomplished using a test system accreditation. This Certificat Kjær Inc. Calibration Labora Standards with values traceal physical constants. The acou PROCEDURE: The measurements have b application Software version 2.3.4 Ty RESULTS: X	prescribed by the referia with no reduction better which conforms data, see the attached and attached data pattory-Duluth, GA. Resulte to the National Institute calibrator has been performed with pe 7794 using calibrate: Within Acceptance: Within Acceptance tainty is based on the ertainty evaluation has	renced Proces to the uncer to the required page(s). Ite ages shall no sults relate to stitute of State and calibrated or the assistant and the assistant are Criteria et a carried standard unus been carried to the transport of the carried standard unus been carried to the transport of the carried to the ca	redure. Statementainty of the mare rements of ISO rems marked with the reproduced only to the items and ards and Teclarin accordance of Hottin reduced and the marked with the reduced and the marked and	nts of compeasurements //EC 17025 h one asteri d, except in s tested. The chnology, N with the recomplete s Received inal" Data plied by a colance with 1	liance, where app. The calibration of ANSI/NCSL Z5. k (*) are not covered full, without written transducer has be ational Measurem quirements as specific War and Covered full. Data: Outside Active Coverage factor k = EA-4/02 from elem	licable, are based on calibration of the listed transducer was 40-1, and guidelines of ISO 10 ered by the scope of the current approval of the Hottinger Even calibrated using Measurement Institutes or derived from a lifted in IEC60942. Lustic calibrator calibration ecceptance Criteria 2, providing a level of confidents originating from the standard f

Calibration Technician

Meshaun Hobbs

Grant Kennedy
Quality Representative

Appendix D List of Preparers

This appendix lists the preparers of this report.

Preparers with HMMH are as follows:

- Tara Cruz Project Manager and Lead Analyst
- Christopher Menge Senior Technical Advisor and Principal-in-Charge
- Bob Finck Document development support and QC
- Logan Katsoufis Noise Measurements

